

CEP Discussion Paper No 932

May 2009

**On the Existence of the Maximum Likelihood Estimates
for Poisson Regression**

J. M. C. Santos-Silva and Silvana Tenreyro

Abstract

We note that the existence of the maximum likelihood estimates for Poisson regression depends on the data configuration. Because standard software does not check for this problem, the practitioner may be surprised to find that in some applications estimation of the Poisson regression is unusually difficult or even impossible. More seriously, the estimation algorithm may lead to spurious maximum likelihood estimates. We identify the signs of the non-existence of the maximum likelihood estimates and propose a simple empirical strategy to single out the regressors causing this type of identification failure.

Keywords: Poisson estimation, gravity equation

JEL Classifications: C13; C50; F10

This paper was produced as part of the Centre's Globalisation Programme. The Centre for Economic Performance is financed by the Economic and Social Research Council.

Acknowledgements

We are grateful to Ines Buono, Virginia Di Nino, Dave Donaldson, Doireann Fitzgerald, Lissandra Flach and Randi Hjalmarrsson for posing the problem and for providing examples of data sets where it occurs. Special thanks are due to Markus Baldauf for help with the code used to bypass the problem. Santos Silva also gratefully acknowledges partial financial support from Fundação para a Ciência e Tecnologia (FEDER/POCI 2010).

João M. C. Santos-Silva is Professor of Economics at the University of Essex. Silvana Tenreyro is an Associate at the Centre for Economic Performance and Reader in the Economics Department, London School of Economics.

Published by
Centre for Economic Performance
London School of Economics and Political Science
Houghton Street
London WC2A 2AE

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission in writing of the publisher nor be issued to the public or circulated in any form other than that in which it is published.

Requests for permission to reproduce any article or part of the Working Paper should be sent to the editor at the above address.

© J. M. C. Santos-Silva and S. Tenreyro, submitted 2009

ISBN 978-0-85328-385-0

1. INTRODUCTION

The Poisson regression model is defined by

$$\Pr(y_i = j|x_i) = \frac{\exp(-\lambda) \lambda^j}{j!}, \quad j = 0, 1, 2, \dots$$

where λ is generally specified as $\lambda = \exp(x_i'\beta) = \exp(\beta_0 + \beta_1 x_{1i} + \dots)$.¹ With this formulation, β , the vector of parameters of interest, can be estimated by maximizing the log-likelihood function given by

$$\ln L(\beta) = \sum_{i=1}^n [-\exp(x_i'\beta) + (x_i'\beta) y_i - \ln(y_i!)]. \quad (1)$$

Poisson regression is not only the most widely used model for count data (see Winkelmann, 2008, and Cameron and Trivedi, 1997), but it is also becoming increasingly popular to estimate multiplicative models for other kinds of data (see, among others, Manning and Mullahy, 2001, and Santos Silva and Tenreyro, 2006).

The reasons that make this estimator popular can be clearly understood by inspecting the corresponding score vector and Hessian matrix, given respectively by

$$s(\beta) = \sum_{i=1}^n [y_i - \exp(x_i'\beta)] x_i, \quad (2)$$

and

$$H(\beta) = - \sum_{i=1}^n \exp(x_i'\beta) x_i x_i'.$$

The form of the score vector makes clear that β will be consistently estimated as long as $E(y_i|x_i) = \exp(x_i'\beta)$, i.e., the only condition required for consistency is the correct specification of the conditional mean. This is the well known pseudo-maximum likelihood result of Gourieroux, Monfort and Trognon (1984).

Besides this robustness property, the estimator also has the advantage of being very well behaved. Indeed, it is easy to see that the Hessian is negative definite for all x and β , which facilitates the estimation and ensures the uniqueness of the maximum, if it exists.

¹See Winkelmann (2008) and Cameron and Trivedi (1997) for further details and background on the Poisson regression model and its properties.

Consequently, estimation of β is relatively simple and generally the estimation algorithm converges in a handful of iterations, even for relatively large problems.

In spite of this general result, for certain data configurations, some of the parameters in β are not identified by the (pseudo) maximum likelihood estimator described above. That is, for certain data configurations, the maximum likelihood estimates do not exist. Because this type of identification failure has not been recognized as a problem in count data models, standard software does not check for its presence and therefore the practitioner may be surprised to find that estimation of the Poisson regression is unusually difficult, even in some apparently simple problems. The next section provides details on when this problem arises and on how it can be detected.

2. THE PROBLEM

To better see the nature of the problem, it is useful to start by considering the case where a regressor, say x_{i2} , is zero when y_i is positive, otherwise being non-negative with at least one positive observation. The leading example of a regressor with these characteristics is a dummy variable that is equal to zero for all observations with positive y_i , having some positive values for $y_i = 0$. From equation (2), the first order condition for a maximum of (1) corresponding to the parameter associated with x_{i2} can be written as

$$s(\beta_2) = \sum_{x_{2i} > 0} -\exp(x'_i \hat{\beta}) x_{2i} = 0,$$

which can never be satisfied. Therefore, when regressors such as x_2 are present, the (pseudo) maximum likelihood estimate of β does not exist.

More generally, this problem can occur whenever two regressors are perfectly collinear for the sub-sample with positive observations of y_i .² To see this, write (2) as

$$s(\beta) = \sum_{y_i > 0} [y_i - \exp(x'_i \beta)] x_i - \sum_{y_i = 0} \exp(x'_i \beta) x_i,$$

²Notice that the problem identified here is very different from the one resulting from perfect collinearity between regressors. Perfect collinearity leads to the existence on an infinite number of solutions to the likelihood equations, whereas here we are concerned with the situation where the likelihood equations have no solution.

and notice that the first order conditions for a maximum corresponding to β_0 , β_1 and β_2 imply

$$\sum_{y_i > 0} \left[y_i - \exp(x'_i \hat{\beta}) \right] = \sum_{y_i = 0} \exp(x'_i \hat{\beta}), \quad (3a)$$

$$\sum_{y_i > 0} \left[y_i - \exp(x'_i \hat{\beta}) \right] x_{1i} = \sum_{y_i = 0} \exp(x'_i \hat{\beta}) x_{1i}, \quad (3b)$$

$$\sum_{y_i > 0} \left[y_i - \exp(x'_i \hat{\beta}) \right] x_{2i} = \sum_{y_i = 0} \exp(x'_i \hat{\beta}) x_{2i}, \quad (3c)$$

where $\hat{\beta}$ denotes the maximum likelihood estimates of β .

Suppose now that x_1 and x_2 are perfectly collinear for the sub-sample with positive observations of y_i . In particular, let $x_{2i} = \alpha_0 + \alpha_1 x_{1i}$ for $y_i > 0$. Then, writing x_{2i} as a function of x_{1i} on the left hand side of (3c) and using equalities (3a) and (3b), it is possible to obtain

$$\alpha_0 \sum_{y_i = 0}^n \exp(x'_i \hat{\beta}) + \alpha_1 \sum_{y_i = 0}^n \exp(x'_i \hat{\beta}) x_{1i} = \sum_{y_i = 0}^n \exp(x'_i \hat{\beta}) x_{2i}. \quad (4)$$

Whether or not (4) has a solution depends on the values of α_0 and α_1 , and on the ranges of x_1 and x_2 for the observations with $y_i = 0$. For instance, in the illustrative example presented before, $\alpha = \beta = 0$ and for (4) to have a solution it is necessary, but not sufficient, that x_2 has positive and negative values for $y_i = 0$. Heuristically, (4) will have a solution when there is a reasonable overlap between the ranges of x_{2i} for $y_i = 0$ and $y_i > 0$. However, it is not possible to provide a sharp criterion determining the existence of a $\hat{\beta}$ that solves (4). Therefore, the existence of this sort of identification problem has to be investigated on a case-by-case basis.

Of course, Newton-type algorithms used to maximize the likelihood function may achieve convergence even when (3) has no solution, leading to spurious maximum likelihood estimates, say b . It is easy to see that for b to provide an approximate solution for (4) it has to be such that $\exp(x'_i b)$ is close to zero for the observations with $y_i = 0$. Therefore, these spurious solutions can be easily identified because they are characterized by a “perfect” fit for the observations with $y_i = 0$.

This situation is analogous to what happens in binary choice models when there is complete separation or quasi-complete separation, as described by Albert and Anderson (1984) and Santner and Duffy (1986). Moreover, it is clear that it can also occur in any other regression model where the conditional mean is specified in such a way that its image does not include all the points in the support of the dependent variable. Therefore, this problem can occur not only in the Poisson regression model but whenever y is non-negative and the conditional mean is specified as $E(y_i|x_i) = \exp(x_i'\beta)$.

3. DISCUSSION

The results of the previous section make clear that the non existence of the (pseudo) maximum likelihood estimates of the Poisson regression models is more likely when the data has a large number of zeros. For example, this problem is likely to arise when modelling the number of crimes committed, the number of instances of substance abuse, or the volume of trade between pairs of countries. Therefore, in these cases, even if the estimation algorithm converges and delivers a set of estimates, it is recommended that the researcher checks whether or not the results obtained actually correspond to a maximum of the (pseudo) log-likelihood function. This can be easily done by checking for the overfitting of the observations with $y_i = 0$, for example by computing descriptive statistics for the fitted values of y for the relevant sub sample.

When the researcher identifies a situation where the (pseudo) maximum likelihood estimates do not exist, either because the algorithm does not converge or because convergence is achieved by overfitting the zeros, it is useful to have a simple strategy to single out the regressors causing the problem. Because these regressors are characterized by their perfect collinearity with the others for the sub-sample with $y_i > 0$, they can be identified using the following procedure, which explores the fact that statistical software generally drop perfectly collinear explanatory variables in ordinary least squares regression:

Step 1: For the observations with $y_i > 0$, estimate the ordinary least squares regression of $\ln(y_i)$ on x_i ;

Step 2: Construct a subset of explanatory variable, say \tilde{x}_i , comprising only the regressors whose coefficients were estimated in Step 1;

Step 3: Using the observations with $y_i \geq 0$, i.e., the full sample, run the Poisson regression of y_i on \tilde{x}_i .³

This procedure eliminates all potentially problematic regressors, even those that actually do not lead to the non-existence of the maximum likelihood estimates. Therefore, the researcher should then investigate one-by-one all the variables that were excluded, to see if any of them can be included in the model.

REFERENCES

- Albert, A. and Anderson, J.A. (1984). "On the existence of maximum likelihood estimates in logistic models," *Biometrika*, 71, 1-10.
- Cameron, A.C. and Trivedi, P.K. (1998). *Regression analysis of count data*, Cambridge, MA: Cambridge University Press.
- Gourieroux, C., Monfort, A. and Trognon, A. (1984). "Pseudo maximum likelihood methods: Applications to Poisson models," *Econometrica*, 52, 701-720.
- Manning, W.G. and Mullahy, J. (2001). "Estimating Log Models: To Transform or Not to Transform?," *Journal of Health Economics* 20, 461-494.
- Santner T.J. and Duffy, E.D. (1986). "A note on A. Albert and J.A. Anderson's conditions for the existence of maximum likelihood estimates in logistic regression models," *Biometrika*, 73, 755-758.
- Santos Silva, J.M.C. and Tenreyro, S. (2006), "The log of gravity," *The Review of Economics and Statistics*, 88, 641-658.
- Winkelmann, R. (2008). *Econometric analysis of count data*, 5th ed., Berlin: Springer-Verlag.

³The parameters estimated by the OLS regression in Step 1 can be used as starting values for this Poisson regression.

CENTRE FOR ECONOMIC PERFORMANCE
Recent Discussion Papers

- | | | |
|-----|---|--|
| 931 | Richard Freeman
John Van Reenen | What If Congress Doubled R&D Spending on the Physical Sciences? |
| 930 | Hector Calvo-Pardo
Caroline Freund
Emanuel Ornelas | The ASEAN Free Trade Agreement: Impact on Trade Flows and External Trade Barriers |
| 929 | Dan Anderberg
Arnaud Chevalier
Jonathan Wadsworth | Anatomy of a Health Scare: Education, Income and the MMR Controversy in the UK |
| 928 | Christos Genakos
Mario Pagliero | Risk Taking and Performance in Multistage Tournaments: Evidence from Weightlifting Competitions |
| 927 | Nick Bloom
Luis Garicano
Raffaella Sadun
John Van Reenen | The Distinct Effects of Information Technology and Communication Technology on Firm Organization |
| 926 | Reyn van Ewijk | Long-term health effects on the next generation of Ramadan fasting during pregnancy |
| 925 | Stephen J. Redding | The Empirics of New Economic Geography |
| 924 | Rafael Gomez
Alex Bryson
Tobias Kretschmer
Paul Willman | Employee Voice and Private Sector Workplace Outcomes in Britain, 1980-2004 |
| 923 | Bianca De Paoli | Monetary Policy Under Alternative Asset Market Structures: the Case of a Small Open Economy |
| 922 | L. Rachel Ngai
Silvana Tenreyro | Hot and Cold Seasons in the Housing Market |
| 921 | Kosuke Aoki
Gianluca Benigno
Nobuhiro Kiyotaki | Capital Flows and Asset Prices |
| 920 | Alex Bryson
John Forth
Patrice Laroche | Unions and Workplace Performance in Britain and France |
| 919 | David Marsden
Simone Moriconi | 'The Value of Rude Health': Employees' Well Being, Absence and Workplace Performance |
| 918 | Richard Layard
Guy Mayraz
Stephen Nickell | Does Relative Income Matter? Are the Critics Right? |

- | | | |
|-----|--|--|
| 917 | Ralf Martin
Laure B. de Preux
Ulrich J. Wagner | The Impacts of the Climate Change Levy on Business: Evidence from Microdata |
| 916 | Paul-Antoine Chevalier
Rémy Lecat
Nicholas Oulton | Convergence of Firm-Level Productivity, Globalisation, Information Technology and Competition: Evidence from France |
| 915 | Ghazala Azmat
Nagore Iriberry | The Importance of Relative Performance Feedback Information: Evidence from a Natural Experiment using High School Students |
| 914 | L Rachel Ngai
Robert M. Samaniego | Accounting for Research and Productivity Growth Across Industries |
| 913 | Francesco Caselli
Tom Cunningham | Leader Behavior and the Natural Resource Curse |
| 912 | Marco Manacorda
Edward Miguel
Andrea Vigorito | Government Transfers and Political Support |
| 911 | Philippe Aghion
John Van Reenen
Luigi Zingales | Innovation and Institutional Ownership |
| 910 | Fabian Waldinger | Peer Effects in Science – Evidence from the Dismissal of Scientists in Nazi Germany |
| 909 | Tomer Blumkin
Yossi Hadar
Eran Yashiv | The Macroeconomic Role of Unemployment Compensation |
| 908 | Natalie Chen
Dennis Novy | International Trade Integration: A Disaggregated Approach |
| 907 | Dongshu Ou | To Leave or Not to Leave? A Regression Discontinuity Analysis of the Impact of Failing the High School Exit Exam |
| 906 | Andrew B. Bernard
J. Bradford Jensen
Stephen J. Redding
Peter K. Schott | The Margins of US Trade |
| 905 | Gianluca Benigno
Bianca De Paoli | On the International Dimension of Fiscal Policy |
| 904 | Stephen J. Redding | Economic Geography: A Review of the Theoretical and Empirical Literature |